


**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A-An insecticide characterized by containing as active ingredient a hydrazone derivative of formula (I)



wherein A and Q independently of the other are an unsubstituted or substituted aryl, or an unsubstituted or substituted heterocyclic group,

W is oxygen atom, ~~and unsubstituted or substituted aminylene group~~, an unsubstituted or substituted alkylene group, an unsubstituted or substituted oxyalkylene group, or an unsubstituted or substituted alkyleneoxy,

X<sup>1</sup> and X<sup>2</sup> independently of the other are hydrogen atom, an unsubstituted or substituted alkyl, an unsubstituted or substituted alkenyl, an unsubstituted or substituted alkynyl, an unsubstituted or substituted aryl, an unsubstituted or substituted heterocyclic group, formyl, an unsubstituted or substituted acyl, an unsubstituted or substituted alkoxy carbonyl, an unsubstituted or substituted aryloxy carbonyl, an unsubstituted or substituted heterocyclic oxy carbonyl, an unsubstituted or substituted alkylsulfinyl, an unsubstituted or substituted arylsulfinyl, an unsubstituted or substituted heterocyclic sulfinyl, an unsubstituted or substituted alkylsulfonyl, an unsubstituted or substituted arylsulfonyl, or an unsubstituted or substituted heterocyclic sulfonyl,

Y is oxygen atom ~~or sulfur atom~~,

Z is hydrogen atom, a halogen atom, cyano, an unsubstituted or substituted alkyl, an unsubstituted or substituted alkenyl, an unsubstituted or substituted alkynyl, an unsubstituted or substituted amino, an unsubstituted or substituted alkoxy, or an unsubstituted or substituted alkylthio.

2. (Currently Amended) The insecticide according to claim 1, wherein A and Q independently of the other are an aryl or a heterocyclic group which is unsubstituted or substituted by a substituent selected from  $G^1$  wherein  $G^1$  is a halogen atom, hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, amino, an alkylamino, a dialkylamino, an alkoxy, a haloalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl, a haloalkylsulfonyl, an aryl, an aryloxy, an arylthio, a heterocyclic group, a heterocyclic oxy or a heterocyclic thio (the aryl, aryloxy, arylthio, heterocyclic group, heterocyclic oxy and heterocyclic thio may be further substituted by a substituent selected from the group consisting of a halogen atom, hydroxy, cyano, nitro, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, amino, an alkylamino, a dialkylamino, an alkoxy, a haloalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl and a haloalkylsulfonyl), in case where plurality of  $G^1$ 's are present, adjacent two  $G^1$ 's may form a fused ring together with Q or A,

W is oxygen atom,  $-(C(R^1)(R^2))_n-$ ,  $-O(C(R^1)(R^2))_n-$ , or  $-(C(R^1)(R^2))_nO-$  wherein n is an integer of 1 to 5, and  $R^1$  and  $R^2$  independently of the other are hydrogen atom, an alkyl, an alkenyl or alkynyl, or  $R^1$  and  $R^2$  together form an alkylidene group, ~~or  $N(R^3)$  wherein  $R^3$  is hydrogen atom, an alkyl, an alkenyl or an alkynyl,~~

$X^1$  and  $X^2$  independently of the other are hydrogen atom, formyl, or an alkyl, an alkenyl, an alkynyl, an aryl, a heterocyclic group, an acyl, an alkoxycarbonyl, an aryloxycarbonyl, a heterocyclic oxycarbonyl, an alkylsulfinyl, an arylsulfinyl, a heterocyclic sulfinyl, an alkylsulfonyl, an arylsulfonyl or a heterocyclic sulfonyl which is unsubstituted or substituted by a substituent selected from  $G^2$  wherein  $G^2$  is a halogen atom, hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, an alkoxy, a haloalkoxy, an alkoxyalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl, a haloalkylsulfonyl, an aryl, an aryloxy, an arylthio, a heterocyclic group, a heterocyclic oxy or a heterocyclic thio (the aryl, aryloxy, arylthio, heterocyclic group, heterocyclic oxy and heterocyclic thio may be further substituted by a substituent selected from the group consisting of a halogen atom, hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, an alkoxy, a haloalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl and a haloalkylsulfonyl),

$Z$  is hydrogen atom, a halogen atom, cyano, or an alkyl, an alkenyl, an alkynyl, an alkoxy or an alkylthio which is unsubstituted or substituted by a substituent selected from  $G^3$  (wherein  $G^3$  is a halogen atom, hydroxy, cyano, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, an alkoxy, a haloalkoxy, an alkylthio or a haloalkylthio), or an amino which is unsubstituted or substituted by a substituent selected from  $G^4$  (wherein  $G^4$  is hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, an alkoxy or a haloalkoxy, in case where the amino is substituted by two substituents selected from  $G^4$ , the  $G^4$ 's are same or different each other, and the  $G^4$ 's optionally forms a ring).

3. (Previously Presented) The insecticide according to claim 1, wherein  $Q$  is an aryl or a heterocyclic group which is unsubstituted or substituted by a substituent selected

from the group consisting of a halogen atom, an alkyl, a haloalkyl, an alkylamino, a dialkylamino, an alkoxy, a haloalkoxy, an alkylthio and a haloalkylthio.

4. (Currently Amended) The insecticide according to claim 1, wherein W is oxygen atom,  $-(C(R^1)(R^2))-$  (wherein  $R^1$  and  $R^2$  independently of the other are hydrogen atom, an alkyl, an alkenyl or alkynyl, or  $R^1$  and  $R^2$  together form an alkylidene group), ~~or  $N(R^3)-$  (wherein  $R^3$  is hydrogen atom, an alkyl, an alkenyl or an alkynyl).~~


5. (Previously Presented) The insecticide according to claim 1, wherein  $X^2$  is hydrogen atom, an alkyl or an alkoxycarbonyl.

6. (Previously Presented) The insecticide according to claim 1, wherein  $X^1$  is hydrogen atom, an alkenyl having 1 to 4 carbon atoms, an acyl having 1 to 10 carbon atoms, or an alkyl having 1 to 10 carbon atoms which is unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, cyano, an alkoxy, an alkylthio, an alkoxycarbonyl and an unsubstituted or substituted aryl.

7. (Previously Presented) The insecticide according to claim 1, wherein Z is hydrogen atom, cyano, an amino unsubstituted or substituted by one or two alkyl groups having 1 to 4 carbon atoms, or an alkyl unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, an alkoxy and an alkylthio.

8. (Previously Presented) The insecticide according to claim 1, wherein A is phenyl or a nitrogen-containing heterocyclic group unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, cyano, nitro, an alkyl, a haloalkyl, an alkoxy, a haloalkoxy, an alkylthio and a haloalkylthio.

## 9. (Currently Amended) A hydrazone derivative of formula (II)



wherein A' and Q' independently of the other are an aryl or a heterocyclic group which is unsubstituted or substituted by a substituent selected from G<sup>5</sup> wherein G<sup>5</sup> is a halogen atom, hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, amino, an alkylamino, a dialkylamino, an alkoxy, a haloalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl, a haloalkylsulfonyl, an aryl, an aryloxy, an arylthio, a heterocyclic group, a heterocyclic oxy or a heterocyclic thio (the aryl, aryloxy, arylthio, heterocyclic group, heterocyclic oxy and heterocyclic thio may be further substituted by a substituent selected from the group consisting of a halogen atom, hydroxy, cyano, nitro, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, amino, an alkylamino, a dialkylamino, an alkoxy, a haloalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl and a haloalkylsulfonyl), W' is oxygen atom,  $-(C(R^1)(R^2))_n-$ ,  $-O(C(R^1)(R^2))_n-$ , or  $-(C(R^1)(R^2))_nO-$  wherein n is an integer of 1 to 5, and R<sup>1</sup> and R<sup>2</sup> independently of the other are hydrogen atom, an alkyl, an alkenyl or alkynyl, or R<sup>1</sup> and R<sup>2</sup> together form an alkylidene group, or ~~N(R<sup>3</sup>) wherein R<sup>3</sup> is hydrogen atom, an alkyl, an alkenyl or an alkynyl,~~

$X^{1'}$  and  $X^{2'}$  independently of the other are hydrogen atom, formyl, or an alkyl, an alkenyl, an alkynyl, an aryl, a heterocyclic group, an acyl, an alkoxycarbonyl, an aryloxycarbonyl, a heterocyclic oxycarbonyl, an alkylsulfinyl, an arylsulfinyl, a heterocyclic sulfinyl, an alkylsulfonyl, an arylsulfonyl or a heterocyclic sulfonyl which is unsubstituted or substituted by a substituent selected from  $G^2$  wherein  $G^2$  is a halogen atom, hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, an alkoxy, a haloalkoxy, an alkoxyalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl, a haloalkylsulfonyl, an aryl, an aryloxy, an arylthio, a heterocyclic group, a heterocyclic oxy or a heterocyclic thio (the aryl, aryloxy, arylthio, heterocyclic group, heterocyclic oxy and heterocyclic thio may be further substituted by a substituent selected from the group consisting of a halogen atom, hydroxy, cyano, an alkyl, a haloalkyl, an alkenyl, a haloalkenyl, an alkynyl, a haloalkynyl, an alkoxy, a haloalkoxy, formyl, an acyl, an acyloxy, an alkoxycarbonyl, an alkylthio, a haloalkylthio, an alkylsulfinyl, a haloalkylsulfinyl, an alkylsulfonyl and a haloalkylsulfonyl),

$Y'$  is oxygen atom ~~or sulfur atom~~,

$Z'$  is a linear or branched alkyl, a linear or branched alkenyl, or a linear or branched alkynyl which is unsubstituted or substituted by a substituent selected from  $G^6$  wherein  $G^6$  is a halogen atom, an alkoxy, a haloalkoxy, an alkylthio or a haloalkylthio.

10. (Original) The hydrazone derivative according to claim 9, wherein  $A'$  is is phenyl or a nitrogen-containing heterocyclic group unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, an alkyl, a haloalkyl, an alkoxy, a haloalkoxy, an alkylthio and a haloalkylthio.

11. (Original) The hydrazone derivative according to claim 10, wherein  $A'$  is is phenyl unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, an alkyl, a haloalkyl and a haloalkoxy.

12. (Previously Presented) The hydrazone derivative according to claim 9, wherein Q' is an aryl or a heterocyclic group unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, an alkyl, a haloalkyl, an alkylamino, a dialkylamino, an alkoxy, a haloalkoxy, an alkylthio and a haloalkylthio.

13. (Original) The hydrazone derivative according to claim 12, wherein Q' is a heterocyclic group unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, an alkyl and a haloalkyl.

14. (Previously Presented) The hydrazone derivative according to claim 9, wherein X<sup>2'</sup> is hydrogen atom, an alkyl or an alkoxycarbonyl.

15. (Previously Presented) The hydrazone derivative according to claim 9, wherein X<sup>1'</sup> is hydrogen atom, an alkenyl having 1 to 4 carbon atoms, an acyl having 1 to 10 carbon atoms, or an alkyl having 1 to 10 carbon atoms which is unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, cyano, an alkoxy, an alkylthio, an alkoxycarbonyl and an unsubstituted or substituted aryl.

16. (Currently Amended) The hydrazone derivative according to claim 9, wherein W' is oxygen atom, -C(R<sup>1</sup>)(R<sup>2</sup>)- (wherein R<sup>1</sup> and R<sup>2</sup> independently of the other are hydrogen atom, an alkyl, an alkenyl or alkynyl, or R<sup>1</sup> and R<sup>2</sup> together form an alkylidene group), ~~or~~ ~~N(R<sup>3</sup>)~~ (wherein R<sup>3</sup> is hydrogen atom, an alkyl, an alkenyl or an alkynyl).

17. (Previously Presented) The hydrazone derivative according to claim 9, wherein Z' is a linear or branched alkyl unsubstituted or substituted by a substituent selected from the group consisting of a halogen atom, an alkoxy and an alkylthio.

18. (New) The insecticide according to claim 1, further comprising an insecticidal carrier, an insecticidal spreader, an insecticidal emulsifier, an insecticidal wetting agent, an insecticidal dispersing agent or an insecticidal disintegrator.